

CATALOGUE 2025

3D panels | concrete tiles | stone cladding | brick slips | wooden tiles | bespoke



3D PANELS








EASY FITTING paintable to any colour



SAFE fire-resistance

The 3D panels' collection allows you to create a 3D geometric feature without sanding joints, which means they are very quick and simple to install using an adhesive. 3D panels are made of natural casting plaster, an environmentally friendly and fire-resistant material. Gypsum 3D panels come in their natural colour – white but they can be painted with standard emulsion paint to any colour, after or before fitting.


| Prodct code | Product name | Width* | Height* | Thickness* | Unit contain | Unit weight* | Unit sqm cover | Units per sqm | Material | Color | Fitting methode |
|-------------|--------------|--------|---------|------------|-----------------|-----------------|-------------------|---------------|----------|---------------------------|---|
| AP001 | Rubik | 720 mm | 720 mm | 35 mm | 1 panel | 9 kg | 0,52 | 1,92 | | White (painting required) | Polymer / Fibrefix cove adhesive |
| AP002 | Denali | 720 mm | 720 mm | 35 mm | 1 panel | 9 kg | 0,52 | 1,92 | | | |
| AP003 | Vente | 720 mm | 720 mm | 35 mm | 1 panel | 9 kg | 0,52 | 1,92 | | | |
| AP004 | Quadrat | 720 mm | 720 mm | 35 mm | 1 panel | 9 kg | 0,52 | 1,92 | Casting | | |
| AP005 | Ripple | 720 mm | 720 mm | 35 mm | 1 panel | 9 kg | 0,52 | 1,92 | plaster | | |
| DL001 | Game | 500 mm | 500 mm | 25 mm | 1 panel | 4 kg | 0,25 | 4,00 | | | |
| DL002 | Blocks | 500 mm | 500 mm | 25 mm | 1 panel | 4 kg | 0,25 | 4,00 | | | |
| DL003 | Bubbles | 500 mm | 500 mm | 25 mm | 1 panel | 4 kg | 0,25 | 4,00 | | | |



3D PANELS COLLECTION





GAME SKU: DL001



BLOCKS


SKU: DL002





BUBBLES

SKU: DL003



3D PANELS COLLECTION



RUBIK
SKU: AP001

W: 720 mm

DENALI







VENTE

SKU: AP003






3D PANELS COLLECTION




QUADRAT SKU: AP004



RIPPLE

SKU: EK001






*For an unbroken surface, Ripple panels required joint filling and sanding.

CONCRETE TILES







PREMIUM dyed to order



SAFE fire-resistance

Concrete tiles designs can produce minimalist and industrial effects evoking a raw and modernist feel to any interior. Architectural concrete is a hard-wearing, A1 fire- and frost-resistant material that lends itself beautifully to a modernist industrial feel for both interiors and exteriors. Concrete tiles are handcrafted using GRC (Glass-fibre Reinforced Concrete) technology and made of best quality cement and fibres. They have a 4i attribution rating which is the highest in concrete products range, making it a very tough material and perfectly suited for a surface covering purposes. This versatile material can be dyed in base too many colours, from white to graphite, enabling it to be used in both domestic and commercial environments.

| Prodct code | Product name | Width* | Height* | Thickness* | Unit contain | Unit weight* | Unit sqm cover | Units per sqm | Material | Colour | Fitting methode |
|-------------|--------------------------------------|---------|---------|------------|------------------|-----------------|-------------------|---------------|---------------|----------------|--------------------|
| BW001 | Concrete wall** panel 1200x600x10/20 | 1200 mm | 600 mm | 10/20 mm | 1 panel | 18/28 kg | 0.72 | 1.39 | | | |
| BW002 | Concrete wall panel 1500x750x20 | 1500 mm | 750 mm | 20 mm | 1 panel | 56 kg | 1.125 | 0.89 | | | |
| BW003 | Concrete wall panel 1000x1000x20 | 1000 mm | 1000 mm | 20 mm | 1 panel | 50 kg | 1 | 1.00 | | | |
| BW004 | Concrete floor*** panel 1200x800x30 | 1200 mm | 800 mm | 30 mm | 1 panel | 61 kg | 0.96 | 1.04 | | | |
| BW005 | Concrete floor*** panel 1500x600x30 | 1500 mm | 600 mm | 30 mm | 1 panel | 58 kg | 0.9 | 1.11 | | | |
| BW006 | Concrete floor*** panel 800x800x30 | 800 mm | 800 mm | 30 mm | 1 panel | 33 kg | 0.72 | 1.39 | | | |
| PB003 | Waves | 1000 mm | 500 mm | 32 mm | 1 panel | 23 kg | 0.5 | 2.00 | | | |
| PB005 | Crystals | 1200 mm | 600 mm | 48 mm | 1 panel | 30 kg | 0.72 | 1.39 | | | |
| PB008 | Ellipse | 1200 mm | 600 mm | 42 mm | 1 panel | 26 kg | 0.72 | 1.39 | | | |
| PB009 | Mosaic | 1200 mm | 600 mm | 45 mm | 1 panel | 30 kg | 0.72 | 1.39 | | | |
| PB011 | Cube | 1200 mm | 600 mm | 40 mm | 1 panel | 33 kg | 0.72 | 1.39 | Architectural | Check concrete | Adhesive or |
| PB015 | Coco | 600 mm | 600 mm | 30 mm | 1 panel | 14 kg | 0.36 | 2.78 | concrete | colour chart | mechanical |
| PB024 | Roma | 1200 mm | 600 mm | 45 mm | 1 panel | 29 kg | 0.72 | 1.39 | | | |
| PB027 | Core | 1200 mm | 600 mm | 35 mm | 1 panel | 26 kg | 0.72 | 1.39 | | | |
| PB033 | Frame | 1200 mm | 600 mm | 30 mm | 1 panel | 25 kg | 0.72 | 1.39 | | | |
| PB035 | Chevron | 455 mm | 105 mm | 20 mm | 1 tile | 1,4 kg | 0.046 | 21.74 | | | |
| PB036 | Triangle | 600 mm | 600 mm | 30 mm | 1 tile | 9 kg | 0.156 | 6.41 | | | |
| PB051 | Block | 800 mm | 414 mm | 20 mm | 1 panel | 17 kg | 0.33 | 3.03 | | | |
| PB038 | Lamella | 1350 mm | 478 mm | 30 mm | 1 panel | 28 kg | 0.65 | 1.54 | | | |
| PB040 | Baffles | 1350 mm | 512 mm | 30 mm | 1 panel | 22 kg | 0.69 | 1.45 | | | |
| PB042 | Grooves | 1350 mm | 600 mm | 30 mm | 1 panel | 30 kg | 0.81 | 1.23 | | | |
| PB050 | Stripes | 1156 mm | 600 mm | 20 mm | 1 panel | 23 kg | 0.51 | 1.96 | | | |
| PB100 | Zara | 226 mm | 50 mm | 20-6 mm | 1 sqm = 88 tiles | 32 kg | 1 | 1 | | | |

^{**} wall panels comes in 20mm thickness (standard) and 10mm thickness (lightweight unporous version)


^{***} floor panels are suitable for indoor/outdoor floors and façade (mechanically fitted)



CONCRETE WALL PANEL


SKU: BW001/BW002/BW003





CONCRETE FLOOR PANEL

SKU: BW004/BW005/BW006








WAVES SKU:PB003



1000 x 500 x 32 mm




CRYSTALS

SKU:PB005



1200 x 600 x 48 mm








ELLIPSE

SKU:PB008



1200 x 600 x 40 mm






MOSAIC

SKU:PB009



1200 x 600 x 40 mm



CUBE

SKU:PB011



1200 x 600 x 40 mm








COCO

SKU:PB015



600 x 600 x 40 mm






ROMA

SKU:PB009



1200 x 600 x 45 mm





CORE

SKU:PB027



1200 x 600 x 35 mm






FRAME

SKU:PB033



1200 x 600 x 30 mm



 $*600 \times 600 \times 30$ also available



CHEVRON

SKU:PB035



395 x 117 x 20 mm



TRIANGLE

SKU:PB036



600 x 600 x 30 mm





APARATUR WROCLAW


BLOCK

SKU:PB051

0,33 m2



800 x 414 x 20 mm





LAMELLA

SKU:PB038 0,65 m2



1350 x 478 x 30 mm



BAFFLES

SKU: PB040



1350 x 478 x 30 mm





GROOVES

SKU:PB042



1350 x 478 x 30 mm






STRIPES SKU:PB050 0,53 m2 1156 x 600 x 20 mm



ZARA





CONCRETE COLOUR CHART

Standard



Colorful



STONE CLADDING



INDOOR / OUTDOOR made of concrete



EASY FITTING with tile adhesive



SAFE fire-resistance

Stone cladding is a fantastic decorative product, ascetically identical to natural stones and bricks. It is a strong and versatile solution popular in North America, which works well in the harshest conditions. For example, on a chimney breast, where the stones are exposed to very high temperatures or on external walls, in contact with rain, frost and sunlight.

Concrete stone cladding can be easily cut with an angle grinder and fixed with tile adhesive. Stone tiles have pre-designed corner sets, they make pillars or any other corners in your property look perfect, without joints on edge, with no need for 45 degrees cutting.

| Prodct code | Product name | Width* | Height* | Thickness* | Unit contain | Unit weight* | Unit sqm cover | Units per sqm | Material | Color | Fitting methode |
|-------------|------------------|-----------|---------|------------|-----------------|-----------------|-------------------|---------------|------------------|----------|--------------------|
| ST001 | Nepal Frost | 130/358mm | 100mm | 12-24mm | 0.46m2 | 13.7kg | 0.46 | 2.17 | | Frost | Tile - adhesive |
| ST002 | Nepal Graphite | 130/358mm | 100mm | 12-24mm | 0.46m2 | 13.7kg | 0.46 | 2.17 | LECA concrete | Graphite | |
| ST004 | Grenada Volcanic | 550mm | 117mm | 22-38mm | 0.32m3 | 11.6kg | 0.32 | 3.13 | | Volcanic | |
| ST005 | Grenada Graphite | 550mm | 117mm | 22-38mm | 0.32m4 | 11.6kg | 0.32 | 3.13 | | Graphite | |
| ST007 | Sierra Graphite | 550mm | 80mm | 12-32mm | 0.40m2 | 18kg | 0.4 | 2.50 | | Graphite | |
| ST111 | Sierra Desert | 550mm | 117mm | 22-38mm | 0.32m4 | 11.6kg | 0.32 | 3.13 | | Desert | |




STONE CLADDING COLLECTION



NEPAL FROST

SKU: ST001






NEPAL GRAPHITE

SKU: ST002









GRENADA VOLCANIC

SKU: ST004









STONE CLADDING COLLECTION



GRENADA GRAPHITE


SKU: ST005






GRENADA FROST










SIERRA GRAPHITE

SKU: ST007






STONE CLADDING COLLECTION



SIERRA DESERT



BRICK SLIPS



INDOOR / OUTDOOR made of concrete



COLORFUL dyed in base



SAFE fire-resistance

Brick slips, expertly moulded from fire-resistance pre-cast concrete, offer a broad spectrum of utilization, both interiorly and externally. They're an exceptional choice for embellishing spaces such as bathrooms and kitchens. You can customize these slips effortlessly with a simple angle grinder, and they can be affixed using common tile adhesive. The pre-configured corner sets simplify the creation of immaculate corners and pillars, eliminating the need for complicated angle cuts.


Enhance the elegance of your living spaces with the addition of these exquisite brick tiles that offer not only functionality but also a touch of sophistication. Elevate the overall ambience of your home with a sense of refined style that is sure to make a lasting impression on all who enter. These high-quality tiles bring a sense of luxury and class to any room they adorn, creating a truly upscale atmosphere.

| Prodct code | Product name | Width* | Height* | Thickness* | Unit contain | Unit weight* | Unit sqm cover | Units per sqm | Material | Color | Fitting methode |
|-------------|---------------------|-----------|---------|------------|-----------------|-----------------|-------------------|---------------|----------|----------|--------------------|
| ST008 | Red Grouted Brick | 150-300mm | 78mm | 7-26mm | 0.42m2 | 15kg | 0.42 | 2.38 | | Red | |
| ST009 | White Grouted Brick | 223mm | 73mm | 8-21mm | 0.52m2 | 14.4kg | 0.52 | 1.92 | | White | |
| ST011 | Country Brick 615 | 205mm | 62mm | 14-17mm | 1m2 | 17.9kg | 1.00 | 1.00 | Concrete | Red | Tile adhesive |
| ST012 | Country Brick 618 | 205mm | 62mm | 14-17mm | 1m2 | 17.9kg | 1.00 | 1.00 | | Brown | |
| ST010 | Country Brick 668 | 205mm | 62mm | 14-17mm | 1m2 | 17.9kg | 1.00 | 1.00 | | Dark Red | |



BRICK SLIPS COLLECTION






WHITE GROUTED BRICK (BOSTON)





COUNTRY BRICK 668

SKU: ST010






COUNTRY BRICK 618


SKU: ST012





COUNTRY BRICK 615

SKU: ST011





BESPOKE

We offer bespoke wall panels and furniture made of premium materials, such as concrete, solid wood and all types of timber boards. We can supply the different elements of a design in a customised version, including engraved logos or slogans.



Also, depending on the specifics, our company specializes in creating bespoke furniture for commercial and residential settings. This includes tailor-made pieces for kitchens, bedrooms, and living spaces, as well as establishments like restaurants, offices, bars, hotels, hair salons and more.















© 3D Art Factory Ltd Registered in England. Company registration number: 08848206

VAT number: 181223532

www.3dartfactory.co.uk phone: +44 203 862 4764 info@3dartfactory.co.uk

